Time: 3 Hours Marks: 75

Q.I Choose the appropriate option

20 Marks

Q. No Description

The arithmetic mean of the following distribution of number of accidents **x** on week working days is –

X = 2, 4, 6, 8, 10

Frequency = 5, 4, 3, 2, 4, 1

- a. 4.666
- b. 6.666
- c. 7.666
- d. 5.666
- 2. The sum of the frequency of class and all classes below it in a frequency distribution is --
 - a. Frequency distribution curve
 - b. Histogram
 - c. Cumulative frequency distribution
 - d. Cumulative frequency of a class
- 3. For the data 10,5,3,8,6,9,7 the median value is --
 - a. 3
 - b. 5
 - c. 6
 - d. 7
- 4. With respect to the question number 3 the range of the data is ---
 - a. 3
 - b. 5
 - c. 6
 - d. 7
- 5. If variance of the data is 36 what is the standard deviation?
 - a. 3
 - b. 4
 - c. 5
 - d. 6
- 6. The values of coefficient of correlation are -
 - a. equal to 1
 - b. can be either -1 or +1
 - c. can be any value between -1 to +1
 - d. must be -1

Paper / Subject Code: 14221 / Biostatistics and Research Methodology

7.	The relationship between x and y is give	n by the follow	wing regres	ssion equation
	Y = 0.018 x			
	The above equation implies that:	26		

- a. for each unit increase in value of x the value of y varies by 1%
- b. on average it takes 1.8 x to increase y value by 1%
- c. For each unit increase in Y, the X increases by 1.8%
- d. For each unit increase in X, the Y increases by exactly 0.018
- 8. Mean drug content of powder in a capsule product is observed to be 105 mg with standard deviation of 8 mg. What is the percentage of capsules with the content of the drug below 105 mg. Assume that the drug content of capsule is normally distributed.
 - a. 20
 - b. 40
 - c. 50
 - d. 60
- 9. If the mean of Poisson distribution is 9 then its variance is equal to --
 - a. 3
 - b. 6
 - c. 9
 - d. 81
- 10. Binomial distribution is applicable to ---
 - a. Dichotomous data
 - b. Continuous data
 - c. Ordinal data
 - d. Discrete data
- 11. Area under curve for Normal distribution is --
 - a. 18
 - b. 1.5
 - c. 2
 - ď. ∞
- 12. To conclude if a drug is effective in reducing body mass index, a clinical trial was conducted by administering the drug to 10 individuals with high body mass index. Considering the data is normally distributed, which of the following tests is suitable?
 - a. One tail paired t test
 - b. Two tail paired t test
 - c. Two tail unpaired t test
 - d. One tail unpaired t test
- 13. The calculated t value = 2.59 and the critical t value is 1.54 at α = 0.01. In such case which of the following statement is true?
 - a. Null hypothesis is accepted
 - b. The mean values of the two sets are significantly different at P<0.01
 - c. The mean values of the two sets are significantly different at P>0.01
 - d. The mean values of the two sets are equal at P<0.01

Paper / Subject Code: 14221 / Biostatistics and Research Methodology

- 14. In histogram the width of the bar is proportional to
 - a. Frequency
 - b. Number of classes
 - c. Class interval
 - d. Cumulative frequency
- In case of same slope, the contour lines are--
 - a. Widely spaced from each other
 - b. Spaced very close to each other
 - c. Parallel to each other
 - d. Intersecting each other
- Mann Whitney U test is applied for
 - a. Unpaired data following Normal Distribution
 - b. Unpaired data following Non-Normal Distribution
 - c. Paired data following Normal Distribution
 - d. Paired data following Non-Normal Distribution
- 17. Cohort Studies generally look at which of the following?
 - a. Determining the sensitivity and specificity of diagnostic methods
 - b. Identifying patient characteristics or risk factors associated with a disease or outcome
 - c. Variations among the clinical manifestations of patients with a disease
 - d. The impact of blinding or masking a study population
- Which of the following software requires writing of script
 - a. Excel
 - b. SPSS
 - c. R Online
 - d. Design of Experiments
- 19. What is the appropriate statistical test for a factorial design?
 - a. the Modes t
 - b. ANOVA
 - c. t-test
 - d. chi-square
- 20 Select the correct probability sampling method from the list below
 - a. Judgment
 - b. Quota
 - c. Simple random
 - d. Convenience

Q.II Answer the following (ANY TWO)

20 Marks

A. i) Metabolite levels in (mcg/ ml) of a drug in young adult and elderly volunteers in urine are given below. Assume that the data is normally distributed. Apply suitable statistical test and state if there is difference in the levels of the metabolite in young and elderly populations. (5)

Young	9.6	8.5	9.8	12.2	9.8	11.7	8.7
Elderly	12.3	16	17.8	20.1	18.5	14	20.6

ii. Haemoglobin levels (% g) in school kids fed with three different diets was studied with 11 students in each category of diet. The results are as follows. Fill in the blank spaces and calculate the least significant difference and state if the levels of haemoglobin are different with respect to the diet. (5)

Variation	Degrees	Sum of	Mean Sum	F value
	of	Squares	of squares	
	Freedom		AT B	
Between the	-	32.81	3	
groups				So.
Within the	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\)		3),
groups		2		N. SO
Total		62.57		4

B. I) Write a short note on factorial design

(5)

ii) In an experiment investigating breakdown of aspirin in a pharmaceutical product stored at 25°C, the following data is obtained. Calculate linear regression equation and coefficient of correlation for the same. Calculate the concentration of aspirin at zero min (5)

Time (Min)	18	35	51	68	85	101
Conc of Aspirin	603.6	601.1	597.9	594.3	591.4	587.3
remaining (mg)				(A)		

C. i) Write a note on different methods of graphical presentation of data

(5)

- ii) A tablet manufacturer produces paracetamol tablets with a label claim of 500 mg. Assume that the data is normally distributed with the mean of 502 mg and variance of 50 mg². Find (5)
 - What proportion of the tablets contain less than 500 mg of the drug?
 - What proportion of the tablets contains drug less than 490 mg and more than 510 mg of paracetamol?

27438

QIII Answer the following (<u>any seven</u>)

35 Marks

- A. Give a detailed account of blocking and confounding system
- B. Enlist steps in hypothesis testing. Write a note on Type I and Type II errors.
- C. i. In a certain area the local authority wants immunization coverage to be 90% with precision within 5% at 95 % confidence interval (z= 1.96). Calculate the sample size
 - ii. What do you mean by research? Enlist different types of research with suitable examples.
- D. Discuss different methods of sampling
- E. Concentration in mcg/ml of therapeutic agent in saliva at defined intervals after attachment of a drug polymeric film to the outer surface of the tooth is given below. It is hypothesized that the release of the drug into the oral cavity is constant over four days. Using Friedman test, state if the hypothesis is true. $(\chi^2_{critical} = 7.60)$

Patient Number		Time after	attachme	ent
B, (C)	Day 1	Day 2	Day 3	Day 4
1	25.45	23.47	20.77	20.87
2	39.57	35.78	34.99	34.90
3	15.42	13.21	12.24	10.16
4	7.19	5.99	5.93	6.06
5	58.23	49.27	42.58	44.53
6	25.60	23.64	21.58	21.89

F. Three different kinds of food regimen are tested on three groups of rats for 5 weeks. The objective is to check the difference in mean weight (in grams) of the rats per week. Apply one-way ANOVA using a 0.05 significance level to the following data:

Foo	d Regimen l		Fo	od Reg	imen II 💍		Fo	od Regimen III
8		3	4			9	8	
12			6	, 87	(A)	\C)	7	
15	S. A		79	?		5	11	26)

- G. Write short notes on
 - a. Report writing in research
 - b. Cohort Studies
- H. i. In the manufacture of glassware, bubbles can occur in the glass which reduces the status of the glassware to that of a 'second'. If, on average, one in every 1000 items produced has a bubble, calculate the probability that exactly 6 items in a batch of 3000 are seconds.
 - ii. Explain the terms contour plots and surface response plots.
- I. It is hypothesized that the replacement of Talc by a hydrophilic excipient like lactose improves the dissolution, hence the two tablet formulations were prepared and the time taken (mins) for dissolution of 50% of the drug is noted. The results are as follows. Apply Mann Whitney Test and state if the hypothesis is true. U_{critical} = 3

Formulatio	50	42	39	45	52	57
n with Talc	(C)	, C.				
Formulatio	32	35	42	34	30	
n with		453				
Lactose						

27438

Page 5 of 6

Paper / Subject Code: 14221 / Biostatistics and Research Methodology

T	able												(0)	V2				
		;											V1	1	2	3	4	
	ı. prob	_	t.50	t.75		t.80	t.8		t.90	t.95	t.975	t.99	C STATE OF	- /5;	- VVIII - VVII		381	3
	ne-tail		.50	0.25		.20	0.15		0.10	0.05	0.025	0.01	1	39.86	49.50	53.59	55.83	57
tw	o-tails	1.	.00	0.50	U	.40	0.30	, ().20	0.10	0.05	0.02	2	8.53	9.00	9.16	9.24	9.2
	df 1	0	000	1.000	1	376	1.963	3 3	.078	6.314	12.71	31.82	3	5.54	5.46	5.39	5.34	5.3
	2		000	0.816		.061	1.38		.886	2.920	4.303	6.965	4	4.54	4.32	4.19	4.11	4.0
	3	0.	000	0.765		978	1.250		.638	2.353	3.182	4.541	850					
	4	0.	000	0.741	0.	941	1.190		.533	2.132	2.776	3.747	5	4.06	3.78	3.62	3.52	3.4
	5		000	0.727		.920	1.150		.476	2.015	2.571	3.365	4					
	6		000	0.718		906	1.134		.440	1.943	2.447	3.143	6	3.78	3.46	3.29	3.18	3.1
	7 8		000 000	0.711		.896 .889	1.119		.415 .397	1.895 1.860	2.365 2.306	2.998 2.896	7	3.59	3.26	3.07	2.96	2.8
	9		000	0.703		.883	1.100		.383	1.833	2.262	2.821	8	3.46	3.11	2.92	2.81	2.7
	10		000	0.700		879	1.093		.372	1.812	2.228	2.764	9	3.36	3.01	2.81	2.69	2.6
	11		000	0.697		876	1.08		.363	1.796	2.201	2.718						
	12		000	0.695		873	1.083		.356	1.782	2.179	2.681	10	3.29	2.92	2.73	2.61	2.5
	13		000	0.694		.870	1.079		.350	1.771	2.160	2.650	11	3.23	2.86	2.66	2.54	2.4
	14		000	0.692		868	1.070		.345	1.761	2.145	2.624	12	3.18	2.81	2.61	2.48	2.3
	15 16		000	0.691		.866 .865	1.074		.341	1.753	2.131	2.602 2.583	13					
	17		000	0.689		.863	1.069		.333	1.740	2.110	2.567	1000	3.14	2.76	2.56	2.43	2.3
	18		000	0.688		862	1.06		.330	1.734	2.101	2.552	14	3.10	2.73	2.52	2.39	2.3
	19		000	0.688		861	1.066		.328	1.729	2.093	2.539						
	20	0.	000	0.687	0.	.860	1.064	1 1	.325	1.725	2.086	2.528	15	3.07	2.70	2.49	2.36	2.2
		5											16	3.05	2.67	2.46	2.33	2.2
													17	3.03	2.64	2.44	2.31	2.2
									Ç.		X		17 18	3.03	2.64	2.44	2.31	
				\$200							X	Of BOY	18	3.01	2.62	2.42	2.29	2.2
20.	DIT			\$ °		3	Sta	ndar	d no	rmal d	istribut	ion table	18 19					2.2
\$\frac{1}{2}				\$	E S	3	9.900		- aremo		istribut	ion table	18 19	3.01	2.62	2.42	2.29	2.2
\$	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	istribut	ion table	18 19	3.01 2.99	2.62 2.61	2.42	2.29	2.2
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.06 0.5239	0.07 0.5279	0.08	0.09	istribut	ion table	18 19	3.01	2.62 2.61	2.42	2.29	2.2
0.1	0.5000 0.5398	0.5040 0.5438	- Parametro and			0.5199 0.5596	0.06 0.5239 0.5636	0.07 0.5279 0.5675	0.08 0.5319 0.5714	0.09 0.5359 0.5753	istribut	ion table	18 19	3.01 2.99	2.62 2.61	2.42	2.29	2.2
10000	0.5000 0.5398	0.5040	0.5080	0.5120 0.5517	0.5160	0.5199	0.06 0.5239	0.07 0.5279	0.08 0.5319 0.5714	0.09 0.5359 0.5753	istribut	ion table	18 19	3.01 2.99	2.62 2.61	2.42	2.29	2.2
0.1	0.5000 0.5398 0.5793	0.5040 0.5438	0.5080 0.5478 0.5871	0.5120 0.5517 0.5910	0.5160 0.5557	0.5199 0.5596	0.06 0.5239 0.5636	0.07 0.5279 0.5675	0.08 0.5319 0.5714	0.09 0.5359 0.5753	istribut	ion table	18 19	3.01 2.99	2.62 2.61	2.42	2.29	2.2
0.1	0.5000 0.5398 0.5793 0.6179	0.5040 0.5438 0.5832 0.6217	0.5080 0.5478 0.5871	0.5120 0.5517 0.5910	0.5160 0.5557 0.5948	0.5199 0.5596 0.5987	0.06 0.5239 0.5636 0.6026	0.07 0.5279 0.5675 0.6064	0.08 0.5319 0.5714 0.6103 0.6480	0.09 0.5359 0.5753 0.6141	istribut	ion table	18 19	3.01 2.99	2.62 2.61	2.42	2.29	2.2
0.1 0.2 0.3	0.5000 0.5398 0.5793 0.6179 0.6554	0.5040 0.5438 0.5832 0.6217	0.5080 0.5478 0.5871 0.6255	0.5120 0.5517 0.5910 0.6293	0.5160 0.5557 0.5948 0.6331	0.5199 0.5596 0.5987 0.6368	0.06 0.5239 0.5636 0.6026 0.6406	0.07 0.5279 0.5675 0.6064 0.6443	0.08 0.5319 0.5714 0.6103 0.6480	0.09 0.5359 0.5753 0.6141 0.6517	istribut	ion table	18 19	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29	2.2
0.1 0.2 0.3 0.4 0.5	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950 0.7291	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7389	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950 0.7291 0.7611	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7389	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.7764	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2 2.1
0.1 0.2 0.3 0.4 0.5 0.6	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950 0.7291 0.7611	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7389	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.7764	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950 0.7291 0.7611	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7389 0.7704 0.7995	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.7764	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794 0.8078	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950 0.7291 0.7611 0.7910 0.8186	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939 0.8212	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673 0.7967 0.8238	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7389 0.7704 0.7995 0.8264	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.7764 0.8051 0.8315	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794 0.8078 0.8340	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881 0.8159	0.5040 0.5438 0.5832 0.6217 0.6591 0.7991 0.7611 0.7910 0.8186 0.8438	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939 0.8212 0.8461	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673 0.7967 0.8238 0.8485	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7389 0.7704 0.7995 0.8264 0.8508	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289 0.8531	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.7764 0.8051 0.8315 0.8554	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794 0.8078 0.8340 0.8577	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365 0.8599	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881 0.8159 0.8413 0.8643	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950 0.7291 0.7611 0.7910 0.8186 0.8438	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939 0.8212 0.8461 0.8686	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673 0.7967 0.8238 0.8485 0.8708	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7389 0.7704 0.7995 0.8264 0.8508 0.8729	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289 0.8531 0.8749	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.7764 0.8051 0.8315 0.8554 0.8770	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794 0.8078 0.8340 0.8577	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365 0.8599 0.8810	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881 0.8159 0.8413 0.8643	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950 0.7291 0.7611 0.7910 0.8186 0.8438 0.8665 0.8869	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939 0.8212 0.8461 0.8686	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673 0.7967 0.8238 0.8485 0.8708	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7704 0.7995 0.8264 0.8508 0.8729 0.8925	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289 0.8531 0.8749	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.8051 0.8315 0.8554 0.8770 0.8962	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794 0.8078 0.8340 0.8577 0.8790	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365 0.8599 0.8810 0.8997	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0 1.1	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881 0.8159 0.8413 0.8643 0.8849 0.9032	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950 0.7291 0.7611 0.7910 0.8186 0.8438 0.8665 0.8869	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939 0.8212 0.8461 0.8686 0.8888	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673 0.7967 0.8238 0.8485 0.8708 0.8907	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7704 0.7995 0.8264 0.8508 0.8729 0.8925 0.9099	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289 0.8531 0.8749 0.8944 0.9115	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.8751 0.8315 0.8554 0.8770 0.8962 0.9131	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794 0.8078 0.8340 0.8577 0.8790 0.8980 0.9147	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365 0.8599 0.8810 0.8997	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0 1.1 1.2	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881 0.8159 0.8413 0.8643	0.5040 0.5438 0.5832 0.6217 0.6591 0.6950 0.7291 0.7611 0.7910 0.8186 0.8438 0.8665 0.8869	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939 0.8212 0.8461 0.8686 0.8888	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673 0.7967 0.8238 0.8485 0.8708 0.8907	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7704 0.7995 0.8264 0.8508 0.8729 0.8925 0.9099	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289 0.8531 0.8749 0.8944 0.9115	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.8751 0.8315 0.8554 0.8770 0.8962 0.9131	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794 0.8078 0.8340 0.8577 0.8790 0.8980 0.9147	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365 0.8599 0.8810 0.8997	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0 1.1 1.2 1.3	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881 0.8159 0.8413 0.8643 0.8849 0.9032	0.5040 0.5438 0.5832 0.6217 0.6591 0.7291 0.7611 0.7910 0.8186 0.8438 0.8665 0.8869 0.9049	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939 0.8212 0.8461 0.8686 0.8888 0.9066	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673 0.7967 0.8238 0.8485 0.8708 0.8907 0.9082 0.9236	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7389 0.7704 0.7995 0.8264 0.8508 0.8729 0.8925 0.9099	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289 0.8531 0.8749 0.8944 0.9115 0.9265	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.8751 0.8315 0.8554 0.8770 0.8962 0.9131 0.9279	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794 0.8078 0.8340 0.8577 0.8790 0.8980 0.9147	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365 0.8599 0.8810 0.8997 0.9162 0.9306	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0 1.1 1.2 1.3 1.4	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881 0.8159 0.8413 0.8643 0.8849 0.9032 0.9192	0.5040 0.5438 0.5832 0.6217 0.6591 0.7291 0.7611 0.7910 0.8186 0.8438 0.8665 0.8869 0.9049 0.9049 0.9345	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939 0.8212 0.8461 0.8686 0.8888 0.9066 0.9222 0.9357	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673 0.7967 0.8238 0.8485 0.8708 0.8907 0.9082 0.9236	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7389 0.7704 0.7995 0.8264 0.8508 0.8729 0.8925 0.9099 0.9251	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289 0.8531 0.8749 0.8944 0.9115 0.9265 0.9394	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.8051 0.8051 0.8554 0.8770 0.8962 0.9131 0.9279	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.8794 0.8078 0.8577 0.8790 0.8980 0.9147 0.9292	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365 0.8599 0.8810 0.8997 0.9162 0.9306	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224 0.7549 0.7852 0.8133 0.8389 0.8621 0.8930 0.9015 0.9177 0.9319	**************************************	ion table	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0 1.1 1.2 1.3 1.4 1.5	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881 0.8159 0.8413 0.8643 0.9032 0.9192 0.9332 0.9452	0.5040 0.5438 0.5832 0.6217 0.6591 0.7611 0.7910 0.8186 0.8438 0.8665 0.8665 0.9049 0.9207 0.9345 0.9463	0.5080 0.5478 0.5871 0.6255 0.6628 0.6985 0.7324 0.7642 0.7939 0.8212 0.8461 0.8686 0.8888 0.9066 0.9222 0.9357 0.9474	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7673 0.7967 0.8238 0.8485 0.8708 0.8907 0.9082 0.9236 0.9370 0.9484	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7704 0.7995 0.8264 0.8508 0.8729 0.8925 0.9099 0.9251 0.9382 0.9495	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289 0.8531 0.8749 0.8944 0.9115 0.9265 0.9394 0.9505	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.8051 0.8051 0.8554 0.8770 0.8962 0.9131 0.9279 0.9406	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.7794 0.8078 0.8340 0.8577 0.8790 0.8980 0.9147 0.9292 0.9418	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365 0.8599 0.8810 0.8997 0.9162 0.9306 0.9429 0.9535	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224 0.7549 0.7852 0.8133 0.8389 0.8621 0.9015 0.9177 0.9319 0.9545	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0 1.1 1.2 1.3 1.4 1.5 1.6	0.5000 0.5398 0.5793 0.6179 0.6554 0.6915 0.7257 0.7580 0.7881 0.8159 0.8413 0.8643 0.9032 0.9192 0.9332	0.5040 0.5438 0.5832 0.6217 0.6591 0.7611 0.7910 0.8186 0.8438 0.8665 0.8069 0.9049 0.9207 0.9345 0.9463 0.9564	0.5080 0.5478 0.5871 0.6255 0.6628 0.7324 0.7642 0.7939 0.8212 0.8461 0.8686 0.8888 0.9066 0.9222 0.9357 0.9474	0.5120 0.5517 0.5910 0.6293 0.6664 0.7019 0.7357 0.7967 0.8238 0.8485 0.8708 0.8907 0.9082 0.9236 0.9370 0.9484 0.9582	0.5160 0.5557 0.5948 0.6331 0.6700 0.7054 0.7794 0.7995 0.8264 0.8508 0.8729 0.8925 0.9099 0.9251 0.9382 0.9495 0.9591	0.5199 0.5596 0.5987 0.6368 0.6736 0.7088 0.7422 0.7734 0.8023 0.8289 0.8531 0.8749 0.8944 0.9115 0.9265 0.9394 0.9505	0.06 0.5239 0.5636 0.6026 0.6406 0.6772 0.7123 0.7454 0.8051 0.8315 0.8770 0.8962 0.9131 0.9279 0.9406 0.9515 0.9608	0.07 0.5279 0.5675 0.6064 0.6443 0.6808 0.7157 0.7486 0.8794 0.8078 0.8340 0.8577 0.8980 0.9147 0.9292 0.9418 0.9525 0.9616	0.08 0.5319 0.5714 0.6103 0.6480 0.6844 0.7190 0.7517 0.7823 0.8106 0.8365 0.8599 0.8810 0.8997 0.9162 0.9306 0.9429 0.9535 0.9625	0.09 0.5359 0.5753 0.6141 0.6517 0.6879 0.7224 0.7549 0.7852 0.8133 0.8389 0.8621 0.8830 0.9015 0.9177 0.9319 0.9545 0.9633	**************************************	E SE CONTRACTOR OF THE SECOND	18 19 Cumu	3.01 2.99	2.62 2.61	2.42	2.29 2.27	2.2
